

BRAZETEC Evaporation Materials
99.999%



/ BRAZETEC Evaporation Materials 99.999 %

Precious metal-based thin films are used in the semiconductor industry as well as in many other branches of industry. BRAZETEC offers high-purity evaporation materials in various shapes and sizes that have been developed specifically for the high requirements of a variety of PVD applications.

Compositions of the common precious metal alloys

Ag	*
Al	*
Au	*
AuAs _{0,4}	*
AuGe ₁	*
AuGe ₂	*
AuGe ₃	*
AuGe ₁₂	*
Sn	*
Pd	99.98 %




* total metallic impurities in matrix < 10 ppm

Packaging

All evaporation materials are vacuum sealed in cleanroom bags under cleanroom conditions, guaranteeing consistent performance, even when stored for a longer period of time.

Dimensions

Standard dimensions are:

 Wire	Diameter from 0.75 mm to 3.0 mm
 Slug	Diameter from 2.0 mm to 10 mm Length from 4.0 mm to 50 mm
 Discs	Diameter from 5 mm to 50 mm Thickness from 1.5 mm to 14 mm

Special forms possible




Au 5N ø 20 x 1.5 mm discs



Au 5N 6 x 12 mm slugs



AuAs 0.4% ø 5 x 11.1 mm slugs



Au 5N ø 2.0 mm wire



Ag 5N ø 13.5 x 25 mm slugs



Pd ø 2 x 4 mm slugs

For alloys, which are not listed, please contact us.